




Declaration of contamination status

Flow chart for handling of equipment prior to inspection, service, repair, return to lending organisation or investigation of adverse incident.

Note: It is illegal to send contaminated items through the post.



Ref: DB2003 (05) June 2003 page 11



Declaration of contamination status

From (consignor):	To (consignee):
Address:	Address:
Reference:	Reference:
Emergency tel:	

Type of equipment:	Manufacturer:
Description of equipment:	
Other identifying marks:	
Model No:	Serial No:
Fault:	

Is the item contaminated?	Yes* <input type="checkbox"/>	No <input type="checkbox"/>	Don't know <input type="checkbox"/>
* State type of contamination: blood, body fluids, respired gases, pathological samples, chemicals (including cytotoxic drugs), radioactive material or any other hazard			
Has the item been decontaminated?	Yes(a) <input type="checkbox"/>	No(b) <input type="checkbox"/>	Don't know <input type="checkbox"/>
(a) What method of decontamination has been used? Please provide details:			
Cleaning: <input type="checkbox"/>		
Disinfection: <input type="checkbox"/>		
Sterilisation: <input type="checkbox"/>		
(b) Please explain why the item has NOT been decontaminated:			
.....			
.....			

CONTAMINATED ITEMS SHOULD NOT BE RETURNED WITHOUT PRIOR AGREEMENT OF THE RECIPIENT

This item has been prepared to ensure safe handling and transportation:	
Name:	Position:
Signature:	
Date:	Tel: